

*LIST OF CERTIFIED SPLIT TYPE ROOM AIR CONDITIONER  
as of DECEMBER CY 2011*

	<b>COMPANY/ BRAND NAME</b>	<b>MODEL NO.</b>	<b>RATED COOLING CAPACITY, kJ/h</b>	<b>POWER CONSUMP. WATT</b>	<b>E E R kJ/w-h</b>	
<b>I. RAC's WITH COOLING CAPACITY BELOW 12,000 kJ/h Locally Manufactured and Imported Models</b>						
1	SANYO	SAP-K126P (Indoor) SAP-C126P (Outdoor)	11,700	1,140	10.3	
2	<b>PANASONIC</b>	CS/CU-S12GKQ (Indoor & Outdoor)	11,630	855	13.6	
3	<b>GREE</b>	KF-30PF (Indoor & Outdoor)	11,615	964	12.0	
4	<b>TECO</b>	LS-1252YR (Indoor) LT-1252YR (Outdoor)	11,549	1,187	9.7	
5	<b>IDEC</b>	KF-32G/A (Indoor) KF-32W/A (Outdoor)	11,522	1,250	9.2	
6	<b>MARKES OF CANADA</b>	MSW-120DG (Indoor & Outdoor)	11,520	1,180	9.8	
7	<b>MATRIX</b>	MX-KF3277 (Indoor & Outdoor)	11,520	940	12.3	
8	MIDEA	KF-32GW/Y (Indoor & Outdoor)	11,520	1,050	11.0	
9	TRANE	MCW512K10RAB (Indoor) TTK512X10EAA (Outdoor)	11,520	1,240	9.3	
10	GE	KF-32G/Y (Indoor) KF-32W (Outdoor)	11,500	1,050	11.0	
11	LG	LS-C112UBMO (Indoor & Outdoor)	11,000	880	12.5	
12	HITACHI	RAS/RAC-10RC (Indoor & Outdoor)	10,600	981	10.8	
13	HITACHI	RAS-256B (Indoor) RAC-256B (Outdoor)	10,600	981	10.8	
14	UNI-AIR	U-1001NSEW (Indoor) U-1001SEW (Outdoor)	10,550	1,100	9.5	
15	DAIKIN	FT25BAVM (Indoor) R25GVALT6 (Outdoor)	10,470	1,030	10.2	
16	DAIKIN	FT25GVALT6 (Indoor) R25GVALT6 (Outdoor)	10,470	1,030	10.2	
17	MITSUBISHI ELECTRIC	MS-GD10ND-C1 (Indoor) MU-GD10ND-C1 (Outdoor)	10,440	930	11.2	
18	FROST	RAS/RAC-10FC (Indoor & Outdoor)	10,350	960	10.8	
19	AKIRA	AC-S10CP (Indoor & Outdoor)	10,340	970	10.7	
20	MIDEA	KF-28G/Y (Indoor) KF-28W (Outdoor)	10,080	970	10.4	
21	*	SAMSUNG	ASO9W8WB (Indoor & Outdoor)	10,027	940	9.3
22		GREE	KF-25A	10,500	840	12.5
23	DAIKIN	FT09HEVJ (Indoor) R09HEVJ (Outdoor)	9,970	900	11.1	
24	PANASONIC	CS-XC9CKQ (Indoor) CU-XC9CKQ (Outdoor)	9,940	890	11.2	
25	PANASONIC	CS-XC9DKQ (Indoor) CU-XC9DKQ (Outdoor)	9,940	790	12.6	
26	PANASONIC	CS/CU-XC9EKQ (Indoor & Outdoor)	9,940	790	12.6	
27	SAMSUNG	AS09FCN (Indoor) AS09FCX (Outdoor)	9,900	940	10.5	
28	SAMSUNG	AS09VBCN (Indoor) AS09VBCX (Outdoor)	9,900	940	10.5	
29	SAMSUNG	AS-09VBCXTC (Indoor & Outdoor)	9,900	940	10.5	

Legend:

\* inactive/phased-out model

*LIST OF CERTIFIED SPLIT TYPE ROOM AIR CONDITIONER  
as of DECEMBER CY 2011*

	<b>COMPANY/ BRAND NAME</b>	<b>MODEL NO.</b>	<b>RATED COOLING CAPACITY, kJ/h</b>	<b>POWER CONSUMP. WATT</b>	<b>E E R kJ/w-h</b>
30	CARRIER	42LUCO09308 (Indoor) 38LUCO09308 (Outdoor)	9,800	930	10.5
31	KOLIN	KSG-10B1M (Indoor & Outdoor)	9,800	900	10.9
32	SANYO	SAP-K96P (Indoor) SAP-C96P (Outdoor)	9,800	960	10.2
33	TEKA	TK209C (Indoor & Outdoor)	9,750	980	9.9
34	KOLIN	KSM-100B1E (Indoor & Outdoor)	9,600	900	10.7
35	KOPPEL	KSW-09R4 (Indoor) KPC- 09HH4 (Outdoor)	9,600	860	11.2
36	LG	LS-C092QMAO (Indoor) LS-C092RMAO (Outdoor)	9,600	910	10.5
37	LG	TS-C092YDAO (Indoor & Outdoor)	9,600	910	10.5
38	LG	TS-C092YDA1 (Indoor & Outdoor)	9,600	900	10.5
39	SHARP	AH-AP09CF (Indoor) AU-A09BF (Outdoor)	9,600	890	10.8
40	PANASONIC	CU-C9CKQ (Indoor & Outdoor)	9,540	760	12.5
41	PANASONIC	CS/CU-C9DKQ (Indoor & Outdoor)	9,540	830	11.5
42	PANASONIC	CS/CU-C9EKQ (Indoor & Outdoor)	9,540	1,830	11.5
43	PANASONIC	CS/CU-C9GKQ (Indoor & Outdoor)	9,540	830	11.5
44	PANASONIC	CS/CU-C9HKQ (Indoor & Outdoor)	9,540	830	11.5
45	PANASONIC	CS/CU-PC9DKQ (Indoor & Outdoor)	9,540	860	11.1
46	PANASONIC	CS/CU-PC9EKQ (Indoor & Outdoor)	9,540	860	11.1
47	CARRIER	CS/CU-C9JKQ (Indoor & Outdoor)	9,540	830	11.5
48	CARRIER	CS/CU-PC9JKQ (Indoor & Outdoor)	9,540	860	11.1
49	CONDURA	42KCR009313-1 (Indoor) 38KCR009313-1 (Outdoor)	9,504	910	10.4
50	CONDURA	42KCR009313 (Indoor) 38KCR009313 (Outdoor)	9,504	910	10.4
51	CARRIER	42KCE009308 (Indoor) 38KCE009308 (Outdoor)	9,500	913	10.4
52	KOMITSU	KSM-10B1 (Indoor & Outdoor)	9,500	1,000	9.5
53	CHANGHONG	KF-26GW (Indoor & Outdoor)	9,500	920	10.3
54	MARKES OF CANADA	MWA-09CMMI (Indoor & Outdoor)	9,500	910	10.4
55	MARKES	MSW-09CRMI (Indoor & Outdoor)	9,500	980	9.7
56	MARKES OF CANADA	MSW-90D (Indoor & Outdoor)	9,500	900	10.6
57	SAMSUNG	AS09FAN (Indoor) AS09FAX (Outdoor)	9,500	940	10.1
58	SAMSUNG	AS09RANXTC (Indoor) AS09RAXXTC (Outdoor)	9,500	930	10.2
59	SAMSUNG	AS09RAN (Indoor) AS09RAX (Outdoor)	9,500	920	10.3
60	SAMSUNG	AS09RAN1 (Indoor) AS09RAX (Outdoor)	9,500	920	10.3

*LIST OF CERTIFIED SPLIT TYPE ROOM AIR CONDITIONER  
as of DECEMBER CY 2011*

	<b>COMPANY/ BRAND NAME</b>	<b>MODEL NO.</b>	<b>RATED COOLING CAPACITY, kJ/h</b>	<b>POWER CONSUMP. WATT</b>	<b>E E R kJ/w-h</b>
61	SAMSUNG	AS09W8WB (Indoor) US09W8WB (Outdoor)	9,500	940	10.1
62	SAMSUNG	AS09TSLN (Indoor) AS09TSLX (Outdoor)	9,500	920	10.3
63	SANYO	SAP-K9AP (Indoor) SAP-C9AP (Outdoor)	9,500	820	11.6
64	UNION	UAS-2510/AC (In & Out) 42PPC009 (Indoor)	9,500	930	10.2
65	CONDURA	38PPC009 (Outdoor)	9,496	900	10.5
66	AKIRA	AC-S10CGP (Indoor & Outdoor)	9,495	938	10.1
67	CHIGO	CS-25C2-V85AY2A (Indoor & Outdoor)	9,495	920	10.3
68	CONDURA	42CFS009313 (Indoor) 3KCFS009313 (Outdoor)	9,495	940	10.1
69	ELECTROLUX	ESM09CRAPD (Indoor & Outdoor)	9,495	970	9.8
70	ELECTROLUX	ESM09CRAPA (Indoor & Outdoor)	9,495	820	11.6
71	ELECTROLUX	ESM09CRA-PDI (Indoor) ESM09CRA-PDE (Outdoor)	9,495	970	9.8
72	ELECTROLUX	ESM09CRA-PAI (Indoor) ESM09CRA-PAE (Outdoor)	9,495	820	11.6
73	FEDDERS	1FE1009N7F (Indoor) 1FC1009157 (Outdoor)	9,495	920	10.3
74	FRIGIDAIRE	SC095 (Indoor & Outdoor) 1FC1009N7F (Outdoor)	9,495	1,000	9.5
75	<b>FUJIAIR</b>	SU-090CS (Indoor & Outdoor)	9,495	942	10.1
76	GALANZ	KF-25GW (Indoor & Outdoor)	9,495	920	10.3
77	GREE	KF-25PF (Indoor & Outdoor)	9,495	938	10.1
78	ICHIBAN	SAC-094EK/EA (Indoor & Outdoor)	9,495	950	10.0
79	KOLIN	KSM-100B1E (Indoor & Outdoor)	9,495	950	10.0
80	KOMITSU	KSM-10B1 (Indoor & Outdoor)	9,495	1,000	9.5
81	KOPPEL	KSW-09R5B (Indoor) KPC- 09HH5B (Outdoor)	9,495	900	10.6
82	KOPPEL	1KE1009N7G (Indoor) 1KC1009N7F (Outdoor)	9,495	920	10.3
83	KOPPEL	KSW-09R2 (Indoor) KPC-09HH2 (Outdoor)	9,495	990	9.6
84	KOPPEL	KSW-09R2B (Indoor) KPC-09HH2B (Outdoor)	9,495	1,000	9.5
85	KOPPEL	SW-09DF/PC-09D (Indoor & Outdoor)	9,495	820	11.6
86	LG	HS-C0924F70 (Indoor & Outdoor)	9,495	910	10.4
87	LG	HS-09SG/ (Indoor & Outdoor)	9,495	910	10.4
88	LG	HS-09GB (Indoor & Outdoor)	9,495	910	10.4
89	MARKES OF CANADA	MSW2-09CRMI (Indoor & Outdoor)	9,495	940	10.1
90	MIDEA	MSB-09CR (Indoor & Outdoor)	9,495	1,000	9.5

*LIST OF CERTIFIED SPLIT TYPE ROOM AIR CONDITIONER  
as of DECEMBER CY 2011*

	<b>COMPANY/ BRAND NAME</b>	<b>MODEL NO.</b>	<b>RATED COOLING CAPACITY, kJ/h</b>	<b>POWER CONSUMP. WATT</b>	<b>E E R kJ/w-h</b>
91	MIDEA	MSE-09CR (Indoor & Outdoor)	9,495	940	10.1
92	SHARP	AH-P09CR (Indoor) AU-P09CR (Outdoor)	9,495	940	10.1
93	SHARP	AH-AP9FHF (Indoor) AU-A9FF (Outdoor)	9,495	825	11.5
94	SHARP	AH-A9FEF (Indoor) AU-A9FF (Outdoor)	9,495	825	11.5
95	YORK	YMHFXC009BBHM-FX (Indoor & Outdoor)	9,495	920	9.7
96	YORK	RACA09FSAADA (Indoor & Outdoor)	9,495	1,000	9.5
97	YORK	TLEA09FS-ADK (Indoor) TLDA09FS-ADK (Outdoor)	9,495	940	10.1
98	CARRIER	42EXP009 (Indoor) 38EXP009 (Outdoor)	9,494	900	10.5
99	LG	HS-09EG (Indoor & Outdoor)	9,450	870	10.9
100	IMARFLEX	IAC-100S (Indoor & Outdoor)	9,400	930	10.1
101	MDV	MSE-09CR (Indoor & Outdoor)	9,400	980	9.6
102	SANYO	SAP-KC96P (Indoor & Outdoor)	9,400	940	10.0
103	TOSHIBA	RAS-10UKP2L (Indoor) RAS-10UA2L (Outdoor)	9,397	800	11.7
104	KOLIN	KSG-10B1 (Indoor & Outdoor)	9,360	840	11.1
105	FUJIDENZO	ASK09K (Indoor & Outdoor)	9,350	913	10.2
106	TECO	LS0971B (Indoor) LT0971B (Outdoor)	9,350	841	11.1
107	EVEREST	ETS10ST (Indoor & Outdoor)	9,300	920	10.1
108	SHARP	AH-AP9LMF (Indoor) AU-A9LMF (Outdoor)	9,300	840	11.1
109	DAIKIN	ANW23JVALT6 (Indoor) ARW23JVALT6 (Outdoor)	9,210	905	10.2
110	GREE	KF-20PF (Indoor & Outdoor)	9,108	682	13.4
111	CARRIER	42PGA009 (Indoor) 38PGA009 (Outdoor)	9,093	830	11.0
112	MATRIX	MX-KF2577 (Indoor & Outdoor)	9,002	735	12.2
113	MAXIAIR	KF-25G (Indoor) KF-25W (Outdoor)	9,002	870	10.3
114	AKIRA	AC-S9CGP (Indoor & Outdoor)	9,000	870	10.3
115	GE	AJ0AC09GK0 (Indoor) AJ1AC09GKQ (Outdoor)	9,000	800	11.3
116	HAIER	HSU-09LEA13-F (Indoor & Outdoor)	9,000	880	10.2
117	HITACHI	RAS/RAC-08RC (Indoor & Outdoor)	9,000	782	11.5
118	HOME MATE	KF-25GW/C (Indoor & Outdoor)	9,000	930	9.7

*LIST OF CERTIFIED SPLIT TYPE ROOM AIR CONDITIONER  
as of DECEMBER CY 2011*

	<b>COMPANY/ BRAND NAME</b>	<b>MODEL NO.</b>	<b>RATED COOLING CAPACITY, kJ/h</b>	<b>POWER CONSUMP. WATT</b>	<b>E E R kJ/w-h</b>
119	HOME MATE	KF-25GW/E (Indoor & Outdoor)	9,000	840	10.7
120	HYUNDAI	HSA-09GW (Indoor & Outdoor)	9,000	870	10.3
121	IDEC	KF-25G/E (Indoor) KF-25W/E (Outdoor)	9,000	870	10.3
122	JEC	JW13-1.0C (Indoor) JI-1.0C (Outdoor)	9,000	900	10.0
123	MARKES	MSW90DG (Indoor & Outdoor)	9,000	940	9.6
124	PANASONIC	CS/CU-PC9MKQ (Indoor & Outdoor)	9,000	870	10.3
125	SHINCO	KF-25GW/FLB (Indoor & Outdoor )	9,000	980	9.2
126	TRANE	MCW509K10RAB (Indoor) TTK509X10EAA (Outdoor)	9,000	958	9.4
127	WIMPEX	KF-88 (Indoor & Outdoor)	9,000	970	9.3
128	TECO	LS-0952YR (Indoor) LT- 0952YR (Outdoor)	8,878	890	10.0
129	KOLIN	KIU-10A1 (Indoor) KOU-10B1 (Outdoor)	8,000	800	10.0
130	FRIGIDAIRE	SC075 (Indoor & Outdoor)	7,385	800	9.2
131	MIDEA	MSB-07CR (Indoor & Outdoor)	7,385	800	9.2

Note:

For Split Type RACs with cooling capacity below 12,000 kJ/h

Highest EER:13.6

Lowest EER: 9.2

Local - **28** models

Imported - **103** models

*LIST OF CERTIFIED SPLIT TYPE ROOM AIR CONDITIONER  
as of DECEMBER CY 2011*

	<b>COMPANY/ BRAND NAME</b>	<b>MODEL NO.</b>	<b>RATED COOLING CAPACITY, kJ/h</b>	<b>POWER CONSUMP. WATT</b>	<b>E E R kJ/w-h</b>
	<b>II. RAC's WITH COOLING CAPACITY 12,000 kJ/h AND ABOVE Locally Manufactured and Imported Models</b>				
1	GREE	LF-7.5P (Indoor & Outdoor)	32,000	3,333	9.6
2	<b>CARRIER</b>	42LUCO30308 (Indoor) 38LUCO30308 (Outdoor)	31,650	3,650	8.7
3	<b>CONDURA</b>	42CFS030313 (Indoor) 38CFS03013 (Outdoor)	31,680	3,350	9.4
4	<b>DAIKIN</b>	FT-30HEVJ (Indoor) R30HEVJ (Outdoor)	31,250	3,350	9.3
5	KOLIN	KFG-30F1 (Indoor & Outdoor)	29,500	3,075	9.6
6	SANYO	SAP-K30AP (Indoor) SAP-C30AP (Outdoor)	29,500	3,140	9.4
7	SANYO	SAP-K306P (Indoor) SAP-C306P (Outdoor)	29,200	2,840	10.3
8	MITSUBISHI ELECTRIC	MS-A30ND (Indoor) MU-A30ND (Outdoor)	29,160	3,010	9.7
9	KOLIN	KFG-30F1 (Indoor & Outdoor)	29,000	3,085	9.4
10	PANASONIC	CS-C28GFQ/ (Indoor) CU-C28GFQ (Outdoor)	28,800	3,280	8.8
11	KOLIN	KIU-11A1 (Indoor-A) KIU-20A1 (Indoor-B) KOU-35B2 (Outdoor)	28,500	3,131	9.1
12	MARKES	MSW-30CRMI (Indoor & Outdoor)	28,200	3,200	8.8
13	ALENAIRE	AWM-300 (Indoor & Outdoor)	28,000	2,750	10.2
14	KOLIN	KSG-30B1M (Indoor & Outdoor)	28,000	2,800	10.0
15	IMARFLEX	IAC-300P (Indoor & Outdoor)	27,500	2,500	11.0
16	KOLIN	KSA-30B1 (Indoor & Outdoor)	26,800	2,821	9.5
17	KOLIN	KSG-30B1M (Indoor & Outdoor)	28,000	3,200	8.8
18	FUJIAIR	SU-260CS (Indoor & Outdoor)	26,586	2,600	10.2
19	SANYO	SAP-K256P (Indoor) SAP-C256P (Outdoor)	26,500	2,650	10.0
20	KOPPEL	KSW-24R4 (Indoor) KPC-24HH4 (Outdoor)	26,000	2,650	9.8
21	HITACHI	RAS/RAC-25RC (Indoor & Outdoor)	25,600	2,485	10.3
22	GREE	LF-70PF (Indoor & Outdoor)	25,407	2,700	9.4
23	CARRIER	42KCE024308 (Indoor) 38KCE024308 (Outdoor)	25,323	2,532	10.0
24	CONDURA	42PPC026 (Indoor) 38PPC026 (Outdoor)	25,323	2,583	9.8
25	CARRIER	42AR-02432125 (Indoor) ASBCU240BA (Outdoor)	25,320	2,780	9.1

*LIST OF CERTIFIED SPLIT TYPE ROOM AIR CONDITIONER  
as of DECEMBER CY 2011*

	<b>COMPANY/ BRAND NAME</b>	<b>MODEL NO.</b>	<b>RATED COOLING CAPACITY, kJ/h</b>	<b>POWER CONSUMP. WATT</b>	<b>E E R kJ/w-h</b>
26	CARRIER	42KFJ024308 (Indoor) 38KFJ024308 (Outdoor)	25,320	2,458	10.3
27	LG	HS-24GB (Indoor & Outdoor)	25,320	2,500	10.1
28	FEDDERS	2FV2024S7A-PH (Indoor) 2FC4024S7A-PH (Outdoor)	25,320	2,630	9.6
29	ICHIBAN	SAC-244EK/EA (Indoor & Outdoor)	25,320	2,600	9.7
30	KOLIN	KSM-25B1 (Indoor & Outdoor)	25,320	2,750	9.2
31	KOPPEL	SW-24DF/PC-24D (Indoor & Outdoor)	25,320	2,635	9.6
32	MDV	MSE-24CR (Indoor & Outdoor)	25,320	2,750	9.2
33	KOPPEL	KSW-24R2 (Indoor) KPC-24HH2 (Outdoor)	25,320	2,700	9.4
34	LG	HS-24SG (Indoor & Outdoor)	25,320	2,500	10.1
35	LG	HS-C2425F70 (Indoor & Outdoor)	25,320	2,500	10.1
36	MARKES OF CANADA	MSW2-24CRMI (Indoor & Outdoor)	25,320	2,500	10.1
37	YORK	RACA24FSAADA (Indoor & Door)	25,320	2,750	9.2
38	YORK	TLEA24FS-ADK (Indoor) TLDA24FS-ADK (Outdoor)	25,320	2,300	11.0
39	ALENAIRE	AWM-240 (Indoor)                      AOU- 240 (Outdoor)	25,319	2,364	10.7
40	PANASONIC	CS/U-C24BKNG (Indoor) CU-C24BKNG (Outdoor)	25,310	2,580	9.8
41	PANASONIC	CS/CU-PC24EKQ (Indoor & Outdoor)	25,310	2,820	9.0
42	PANASONIC	CS/CU-C24DKQ (Indoor & Outdoor)	25,310	2,580	9.8
43	PANASONIC	CS/U-C24CKQ (Indoor & Outdoor)	25,310	2,580	9.8
44	PANASONIC	CS/U-C24GKQ (Indoor & Outdoor)	25,310	2,580	9.8
45	PANASONIC	CS/CU-C24EKQ (Indoor & Outdoor)	25,310	2,580	9.8
46	PANASONIC	CS/CU-C24HKQ (Indoor & Outdoor)	25,310	2,580	9.8
47	PANASONIC	CS/CU-PC24DKQ (Indoor & Outdoor)	25,310	2,820	9.0
48	PANASONIC	CS/CU-C24JKQ (Indoor & Outdoor)	25,310	2,580	9.8
49	PANASONIC	CS/CU-PC24JKQ (Indoor & Outdoor)	25,310	2,820	9.0
50	KOLIN	KSG-25B1M (Indoor & Outdoor)	25,300	2,700	9.4
51	SANYO	SAP-K25AP (Indoor) SAP-C25AP (Outdoor)	25,200	2,500	10.1
52	SHINCO	KF-70LWL (Indoor & Outdoor)	25,200	2,680	9.4
53	MARKES	MSW-24CRMI (Indoor & Outdoor)	25,000	2,750	9.1
54	SAMSUNG	AS24W6WB (Indoor) US24W6WB (Outdoor)	25,000	2,600	9.6
55	SAMSUNG	AS24TSLN (Indoor) AS24TSLX (Outdoor)	25,000	2,610	9.6

*LIST OF CERTIFIED SPLIT TYPE ROOM AIR CONDITIONER  
as of DECEMBER CY 2011*

	<b>COMPANY/ BRAND NAME</b>	<b>MODEL NO.</b>	<b>RATED COOLING CAPACITY, kJ/h</b>	<b>POWER CONSUMP. WATT</b>	<b>E E R kJ/w-h</b>
56	SAMSUNG	AS24UANXTC (Indoor) AS24UAXXTC (Outdoor)	25,000	2,500	10.0
57	SAMSUNG	AS24UAN (Indoor) AS24UAX (Outdoor)	25,000	2,450	10.2
58	SANYO	SAP-F/CF241P (Indoor & Outdoor)	25,000	2,700	9.3
59	TEKA	TK224C (Indoor & Outdoor)	25,000	2,450	10.2
60	SAMSUNG	AS24FCN (Indoor) AS24FCX (Outdoor)	24,840	2,500	9.9
61	DAIKIN	FT60BVM (Indoor) R60BVL (Outdoor)	24,830	2,710	9.2
62	KOPPEL	IKU424P7A (Indoor) IKC424N7K (Outdoor)	24,625	2,623	9.3
63	SAMSUNG	AS24FAN (Indoor) AS24FAX (Outdoor)	24,500	2,500	9.8
64	PANASONIC	CS/CU-PC24MKQ (Indoor & Outdoor)	24,480	2,680	9.1
65	CARRIER	42EXP026 (Indoor) 38EXP026 (Outdoor)	24,265	2,500	9.7
66	DAIKIN	FT-24HEVJ (Indoor) R24HEVJ (Outdoor)	23,200	2,400	9.7
67	FUJIDENZO	ASK-24R (Indoor & Outdoor)	24,200	2,220	10.9
68	CHIGO	CS-66C2-P85AS (Indoor & Outdoor)	24,000	2,182	11.0
69	LG	HS-24EG (Indoor & Outdoor)	24,000	2,450	9.8
70	LG	LS-C242TMBO (Indoor & Outdoor)	24,000	2,300	10.4
71	LG	TS-C2425DAO (Indoor & Outdoor)	24,000	2,350	10.2
72	LG	TS-C2425DA1 (Indoor & Outdoor)	24,000	2,560	9.4
73	SAMSUNG	AS24S6GBA (Indoor & Outdoor)	24,000	2,550	9.4
74	IMARFLEX	IAC-300S (Indoor & Outdoor)	23,950	2,450	9.8
75	IDEC	KF-66G/A (Indoor) KF-66W/A (Outdoor)	23,760	2,600	9.1
76	MITSUBISHI ELECTRIC	MS-GD24ND-C1 (Indoor) MU-GD24ND-C1 (Outdoor)	23,760	2,375	10.0
77	GREE	KF-55C (Indoor & Outdoor)	23,630	2,100	11.3
78	UNI-AIR	U-2240NSEW (Indoor) U-2240OSCW (Outdoor)	23,630	2,570	9.2
79	GE	AJ1AC24GKQ (Indoor) AJ0AC24GKO (Outdoor)	23,500	2,220	10.6
80	GE	UAS-2510 (Indoor and Outdoor)	23,500	2,220	10.6
81	KOLIN	KSM-240B1 (Indoor & Outdoor)	23,500	2,445	9.6

*LIST OF CERTIFIED SPLIT TYPE ROOM AIR CONDITIONER  
as of DECEMBER CY 2011*

	<b>COMPANY/ BRAND NAME</b>	<b>MODEL NO.</b>	<b>RATED COOLING CAPACITY, kJ/h</b>	<b>POWER CONSUMP. WATT</b>	<b>E E R kJ/w-h</b>
82	KOLIN	KSW-24R5B (Indoor) KPC-24HHB (Outdoor)	23,500	2,300	10.2
83	CARRIER	42LUCO22308 (Indoor) 38LUCO22308 (Outdoor)	23,470	2,470	9.5
84	HITACHI	RAS-56BN (Indoor) RAC-56BN (Outdoor)	23,446	2,308	10.2
85	CONDURA	42KCR022313 (Indoor) 38KCR022313 (Outdoor)	23,220	2,295	10.1
86	CONDURA	42CFS022313 (Indoor) 38CFS022313 (Outdoor)	22,493	2,590	8.7
87	MIDEA	MSB-22CR (Indoor & Outdoor)	23,210	2,500	9.3
88	DAIKIN	FT24HEVJ (Indoor) R24HEVJ (Outdoor)	23,210	2,400	9.7
89	KOPPEL	1KE424N7C (Indoor) 1KC424N7G (Outdoor)	23,210	2,510	9.2
90	FEDDERS	IFE424N7D (Indoor) IFC424N7G (Outdoor)	23,210	2,510	9.2
91	TOSHIBA	RAS-24UKP2L3 (Indoor) RAS-24UA2L3 (Outdoor)	23,062	2,591	8.9
92	FROST	RAS/RAC-28FC (Indoor & Outdoor)	23,000	2,400	9.6
93	KOLIN	KSA-25B1 (Indoor & Outdoor)	23,000	2,421	9.5
94	MARKES OF CANADA	MSW-240DG (Indoor & Outdoor)	22,900	2,215	10.3
95	SHARP	AH-A24FEF (Indoor) AU-A24FF (Outdoor)	22,680	2,260	10.0
96	SHARP	AH-AP-24LMF (Indoor) AU-A24LMF (Outdoor)	22,250	2,325	9.7
97	GE	AS1CD22DBO (Indoor) ASOCD22DBO (Outdoor)	22,300	2,450	9.1
98	MIDEA	MSE-24CR (Indoor & Outdoor)	22,155	2,500	8.9
99	SHARP	AH-P21CR (Indoor) AU-P21CR (Outdoor)	22,155	2,408	9.2
100	EVEREST	ETS25ST (Indoor & Outdoor)	22,100	2,210	10.0
101	CARRIER	42EXP020 (Indoor) 38EXP020 (Outdoor)	22,200	2,200	11.7
102	HITACHI	RAS-456B (Indoor) RAC-456B (Outdoor)	20,000	2,100	9.5
103	SANYO	SAP-K186P (Indoor) SAP-C186P (Outdoor)	19,800	2,030	9.8
104	CARRIER	42KCE018308 (Indoor) 38KCE018308 (Outdoor)	19,500	2,142	9.1
105	GREE	KF-45C (Indoor & Outdoor)	19,500	1,600	12.2
106	* SAMSUNG	AS18WJWB (Indoor & Outdoor)	19,500	1,950	10.0

Legend:

\* inactive/phased-out model

*LIST OF CERTIFIED SPLIT TYPE ROOM AIR CONDITIONER  
as of DECEMBER CY 2011*

	<b>COMPANY/ BRAND NAME</b>	<b>MODEL NO.</b>	<b>RATED COOLING CAPACITY, kJ/h</b>	<b>POWER CONSUMP. WATT</b>	<b>E E R kJ/w-h</b>
107	SAMSUNG	AS18WJWB (Indoor) US18WJWB (Outdoor)	19,500	1,950	10.0
108	TEKA	TK218C (Indoor & Outdoor)	19,400	1,995	9.7
109	HITACHI	RAS/RAC-20RC (Indoor & Outdoor)	19,300	1,838	10.5
110	SANYO	SAP-K18AP (Indoor) SAP-C18AP (Outdoor)	19,100	1,800	10.6
111	PANASONIC	CS-C18CKQ (Indoor) CU-C18CKQ (Outdoor)	19,080	1,730	11.0
112	PANASONIC	CS/CU-C18DKQ (Indoor & Outdoor)	19,080	1,730	11.0
113	PANASONIC	CS/CU-C18EKQ (Indoor & Outdoor)	19,080	1,700	11.2
114	PANASONIC	CS/CU-C18GKQ (Indoor & Outdoor)	19,080	1,730	11.0
115	PANASONIC	CS/CU-C18HKQ (Indoor & Outdoor)	19,080	1,730	11.0
116	PANASONIC	CS/CU-C18JKQ (Indoor & Outdoor)	19,080	1,730	11.0
117	PANASONIC	CS/U-PC18CKQ (Indoor & Outdoor)	19,080	1,980	9.6
118	CONDURA	42KCR018313 (Indoor) 38KCR018313 (Outdoor)	19,008	1,879	10.1
119	SAMSUNG	AS18FBN (Indoor) AS18FBX (Outdoor)	19,000	1,900	10.0
120	SAMSUNG	AS18FCN (Indoor) AS18FCX (Outdoor)	19,000	1,900	10.0
121	SAMSUNG	AS18UANXTC (Indoor) AS18UAXXTC (Outdoor)	19,000	2,000	9.5
122	SAMSUNG	AS18UAN (Indoor) AS18UAX (Outdoor)	19,000	1,940	9.8
123	SAMSUNG	AS18TSLN (Indoor) AS18TSLX (Outdoor)	19,000	1,940	9.8
124	CONDURA	42PPC020 (Indoor) 38PPC020 (Outdoor)	18,993	1,742	10.9
125	AKIRA	AC-S19CP (Indoor & Outdoor)	18,990	1,950	9.7
126	CONDURA	42CFS018313 (Indoor) 38CFS018313 (Outdoor)	18,990	2,030	9.4
127	ELECTROLUX	ESM18CRAPA (Indoor & Outdoor)	18,990	1,760	10.7
128	ELECTROLUX	ESM18CRA-PAI (Indoor) ESM18CRA-PAE (Outdoor)	18,990	1,760	10.8
129	FEDDERS	1FE4018S7F-PH (Indoor) 1FC4018S7P-PH (Outdoor)	18,990	1,975	9.6
130	FEDDERS	2FV2018S7A-PH (Indoor) 2FC4018S7A-PH (Outdoor)	18,990	1,975	9.6
131	FUJIAIR	SU-220CS (Indoor & Outdoor)	18,990	2,200	8.6
132	GREE	KF-40PF (Indoor & Outdoor)	18,990	1,670	11.4
133	ICHIBAN	SAC-184E (K/A) (Indoor & Outdoor)	18,990	2,100	9.0
134	KOPPEL	SW-18DF (Indoor) PC-18D (Outdoor)	18,990	1,650	11.5
135	KOPPEL	IKU418P7A (Indoor) IKC418N7G (Outdoor)	18,990	2,109	9.0
136	KOPPEL	KSW-18R5 (Indoor) KPC-18HHS (Outdoor)	18,990	1,800	10.6

*LIST OF CERTIFIED SPLIT TYPE ROOM AIR CONDITIONER  
as of DECEMBER CY 2011*

	<b>COMPANY/ BRAND NAME</b>	<b>MODEL NO.</b>	<b>RATED COOLING CAPACITY, kJ/h</b>	<b>POWER CONSUMP. WATT</b>	<b>E E R kJ/w-h</b>
137	LG	HS-C1825F70 (Indoor & Outdoor)	18,990	1,800	10.6
138	LG	HS-18GB (Indoor & Outdoor)	18,990	1,800	10.6
139	LG	HS-18SG (Indoor & Outdoor)	18,990	1,800	10.6
140	MIDEA	MSB-18CR (Indoor & Outdoor)	18,990	2,100	9.0
141	SINGER	SAC-18CS (Indoor & Outdoor)	18,990	2,000	9.5
142	UNI-AIR	U-1800NSEW (Indoor) U-1800SCW (Outdoor)	18,990	2,064	9.2
143	STELLAR	SWW-18CR (Indoor & Outdoor)	18,900	1,950	9.7
144	UNION	UAS-5010/AC (Indoor & Outdoor)	18,990	2,080	9.1
145	YORK	TLEA18FS-ADK (Indoor) TLDA18FS-ADK (Outdoor)	18,990	1,750	10.9
146	ALENAIRE	AWM-180 (Indoor) AOU180 (Outdoor)	18,990	1,975	9.6
147	TOSHIBA	RAS-18UKP2L (Indoor) RAS-18UA2L (Outdoor)	18,918	1,910	9.9
148	DAIKIN	FT18HEVJ (Indoor) R18HEVJ (Outdoor)	18,830	1,810	10.4
149	PANASONIC	CS/CU-PC18KKQ (Indoor & Outdoor)	18,800	1,880	10.0
150	PANASONIC	CS/CU-PC18DKQ (Indoor & Outdoor)	18,800	1,880	10.0
151	PANASONIC	CS/CU-PC18JKQ (Indoor & Outdoor)	18,800	1,880	10.0
152	MIDEA	KF-26G/T21Y (Indoor-A) KF-26G/T21Y (Indoor-B) KF-26X2W (Outdoor)	18,720	1,880	9.9
153	FROST	RAS/RAC-20FC (Indoor & Outdoor)	18,650	1,900	9.8
154	KOLIN	KIU-20A1 (Indoor) KOU-20B1 (Outdoor)	18,500	1,850	10.0
155	MARKES OF CANADA	MWS2-18CRMI (Indoor & Outdoor)	18,500	1,750	10.6
156	KOPPEL	IKE418N7C (Indoor) IKC418N7K (Outdoor)	18,460	2,070	8.9
157	MIDEA	MSE-18CR (Indoor & Outdoor)	18,463	1,950	9.5
158	FEDDERS	1FE418N7D (Indoor) 1FC418N7G (Outdoor)	18,460	2,070	8.9
159	FEDDERS	IFE418N7D-PH (Indoor) IFC418N7G-PH (Outdoor)	18,460	1,940	9.5
160	SHARP	AH-P18CR (Indoor) AU-P18CR (Outdoor)	18,460	1,950	9.5
161	CHIGO	KF-51G (Indoor) KF-51W (Outdoor)	18,360	2,000	9.2
162	HYUNDAI	HSA-18GW (Indoor & Outdoor) KF-51G (Indoor)	18,360	2,020	9.1
163	IDEC	KF-51W (Outdoor)	18,360	1,890	9.7

*LIST OF CERTIFIED SPLIT TYPE ROOM AIR CONDITIONER  
as of DECEMBER CY 2011*

	<b>COMPANY/ BRAND NAME</b>	<b>MODEL NO.</b>	<b>RATED COOLING CAPACITY, kJ/h</b>	<b>POWER CONSUMP. WATT</b>	<b>E E R kJ/w-h</b>
164	mitsubishi electric	MS/MU-A18ND-S1(Indoor & Outdoor)	18,360	1,800	10.2
165	LG	HS-18EG (Indoor & Outdoor)	18,300	1,830	10.0
166	GOLDEN AIRE	KF-51LW (Indoor & Outdoor)	18,200	1,900	9.5
167	SAMSUNG	AS18SOGBA (In & Out)	18,200	1,800	10.1
168	SAMSUNG	AS18SOGB (Indoor & Outdoor)	18,200	1,800	10.1
169	PANASONIC	CS/CU-PC18MKQ (Indoor & Outdoor)	18,180	1,860	9.8
170	CARRIER	42LUCO18308 (Indoor) 38LUCO18308 (Outdoor)	18,150	1,900	9.6
171	EVEREST	ETS20ST (Indoor & Outdoor)	18,100	1,820	9.9
172	SHARP	AH-AP18CF (Indoor) AU-A18CF (Outdoor)	18,100	2,010	9.0
173	KOPPEL	KSW-18R2 (Indoor) KPC-18HH2 (Outdoor)	18,000	1,782	10.1
174	KOPPEL	KSW-18R4 (Indoor) KPC-18HH4 (Outdoor)	18,000	1,650	10.9
175	CHIGO	CS-51C2-P85AE2D (Indoor & Outdoor)	18,000	1,837	9.8
176	LG	LS-C182TMBO (Indoor & Outdoor)	18,000	1,800	10.0
177	LG	TS-C1825DAO (Indoor & Outdoor)	18,000	1,800	10.0
178	LG	TS-C1825DA1 (Indoor & Outdoor)	18,000	1,800	10.0
179	LG	TS-C1828RAO (Indoor & Outdoor)	18,000	1,800	10.0
180	LG	TS-C1828RA1 (Indoor & Outdoor)	18,000	1,800	10.0
181	MARKES	MSW-18CRMI (Indoor & Outdoor)	18,000	1,750	10.3
182	MITSUBISHI ELECTRIC	MS-GD18ND-C1 (Indoor) MU-GD18ND-C1 (Outdoor)	18,000	1,765	10.2
183	SHARP	AH-AP18FMF (Indoor) AU-A18FF (Outdoor)	18,000	1,800	10.0
184	SHINCO	KF-50GW/FLB (In & Out)	18,000	2,070	8.7
185	YORK	RACA18FSAADA (Indoor & Outdoor)	18,000	1,700	10.6
186	LG	LSNC1823RM2 (Indoor) LSUC1823RM2 (Outdoor)	17,999	1,830	9.8
187	GE	AJ1AC18GKQ(Indoor) AJ0AC18GKQ (Outdoor)	17,500	1,620	10.8
188	IMARFLEX	IAC-200S (Indoor & Outdoor)	17,200	1,600	10.8
189	MARKES OF CANADA	MSW-180D (Indoor & Outdoor)	17,150	1,680	10.2
190	KOLIN	KSG-20B1 (Indoor & Outdoor)	17,000	1,700	10.0
191	MDV	MSE-18CR (Indoor & Outdoor)	17,000	1,700	10.0
192	SHARP	AH-AP18LMF (Indoor) AU-A18LMF (Outdoor)	16,963	1,678	10.1
193	GOLDEN AIRE	KF-46G/W (Indoor & Outdoor)	16,560	1,800	9.2
194	KOLIN	KSG-20B1 (Indoor) KSG-20B1 (Outdoor)	16,200	1,700	9.5

*LIST OF CERTIFIED SPLIT TYPE ROOM AIR CONDITIONER  
as of DECEMBER CY 2011*

	<b>COMPANY/ BRAND NAME</b>	<b>MODEL NO.</b>	<b>RATED COOLING CAPACITY, kJ/h</b>	<b>POWER CONSUMP. WATT</b>	<b>E E R kJ/w-h</b>
196	GREE	KF-45PF (Indoor & Outdoor)	16,000	1,700	9.4
197	PANASONIC	CS/CU-S15GKQ (Indoor & Outdoor)	15,840	1,270	12.5
198	KOLIN	KIU-10A1 (Indoor-A) KIU-10A1 (Indoor-B)	15,650	1,595	9.8
199	GE	AS1CD16DBO (Indoor) ASOCD16DBO (Outdoor)	15,500	1,673	9.3
200	CARRIER	42KCE012308 (Indoor) 38KCE012308 (Outdoor)	15,000	1,470	10.2
201	KOPPEL	KSW-12R3 (Indoor) KPC-12HH3 (Outdoor)	13,700	1,300	10.5
202	GREE	KF-35C (Indoor & Outdoor)	13,500	1,100	12.3
203	CARRIER	42PGA013 (Indoor) 38PGA013 (Outdoor)	13,357	1,245	10.7
204	TOSHIBA	RAS-13UKP2L (Indoor) RAS-13UA2L (Outdoor)	13,320	1,270	10.5
205	HITACHI	RAS-326B (Indoor) RAC-326B (Outdoor)	13,300	1,255	10.6
206	FUJIAIR	SU-120CS (Indoor & Outdoor)	13,293	1,346	9.9
207	UNI-AIR	U-126ONSEW (Indoor) U-1260SCW (Outdoor)	13,290	1,290	10.3
208	LG	LSNC122UBM1 (Indoor) LSUC122UBM1 (Outdoor)	13,280	1,240	10.7
209	HITACHI	RAS/RAC-15RC (Indoor & Outdoor)	13,200	1,245	10.6
210	SAMSUNG	AS12SGGB (Indoor) US12SGB (Outdoor)	13,200	1,200	11.0
211	SAMSUNG	AS12S4GBA (Indoor & Outdoor)	13,190	1,240	10.6
212	IMARFLEX	IAC-150S (Indoor & Outdoor)	13,075	1,330	9.8
213	LG	LS-C122RMAO (Indoor & Outdoor)	13,000	1,280	10.2
214	LG	TS-C122YDAO (Indoor & Outdoor)	13,000	1,280	10.2
215	SANYO	SAP-KC12AP (Indoor & Outdoor)	13,000	1,100	11.8
216	KOPPEL	KSW-12R4 (Indoor) KPC-12HH4 (Outdoor)	12,990	1,071	12.1
217	MITSUBISHI ELECTRIC	MS-GD12ND-C1 (Indoor) MU-GD12ND-C1 (Outdoor)	12,960	1,210	10.7
218	MITSUBISHI ELECTRIC	SRK40CSP (Indoor & Outdoor)	12,960	1,260	10.3
219	PANASONIC	CS/CU-C12DKQ (Indoor & Outdoor)	12,890	1,120	11.5
220	PANASONIC	CS-XC12CKQ (Indoor) CU-XC12CKQ (Outdoor)	12,890	1,120	11.5
221	PANASONIC	CS/CU-XC12EKQ (Indoor & Outdoor)	12,890	1,120	11.5
222	PANASONIC	TK212C (Indoor & Outdoor)	12,890	1,260	10.2
223	GE	AJ1AC12GKQ (Indoor) AJ0AC12GKO (Outdoor)	12,850	1,028	12.5

*LIST OF CERTIFIED SPLIT TYPE ROOM AIR CONDITIONER  
as of DECEMBER CY 2011*

	<b>COMPANY/ BRAND NAME</b>	<b>MODEL NO.</b>	<b>RATED COOLING CAPACITY, kJ/h</b>	<b>POWER CONSUMP. WATT</b>	<b>E E R kJ/w-h</b>
224	KOLIN	KSG-15B1M (Indoor & Outdoor)	12,800	1,255	10.2
225	PANASONIC	CS/CU-C12EKQ (Indoor & Outdoor)	12,780	1,150	11.1
226	PANASONIC	CS/CU-C12GKQ (Indoor & Outdoor)	12,780	1,150	11.1
227	PANASONIC	CS/CU-C12JKQ (Indoor & Outdoor)	12,780	1,150	11.1
228	PANASONIC	CS/CU-C12HKQ (Indoor & Outdoor)	12,766	1,150	11.1
229	PANASONIC	CS/U-PC12CKQ (Indoor & Outdoor)	12,740	1,210	10.5
230	PANASONIC	CS/CU-PC12EKQ (Indoor & Outdoor)	12,740	1,240	10.3
231	PANASONIC	CS/CU-PC12JKQ (Indoor & Outdoor)	12,740	1,240	10.3
232	CHIGO	KF-35G/W (Indoor & Outdoor)	12,720	1,200	10.6
233	KOMITSU	KSM-15B1 (Indoor & Outdoor)	12,700	1,330	9.5
234	MARKES	MSW-12CRMI (Indoor & Outdoor)	12,700	1,330	9.5
235	CONDURA	42KCR012313 (Indoor) 38KCR012313 (Outdoor)	12,672	1,267	10.0
236	CONDURA	42PPC013 (Indoor) 38PPC013 (Outdoor)	12,662	1,250	10.1
237	YORK	HLEAA12FS-ADA (Indoor) HLDA12FS-ADA (Outdoor)	12,661	1,330	9.5
238	ALENAIRE	AWM-120 (Indoor)                      AOU- 120 (Outdoor)	12,660	1,150	11.0
239	CARRIER	42LUCO12308 (Indoor) 38LUCO12308 (Outdoor)	12,660	1,250	10.1
240	CARRIER	42LUCO12308-1 (Indoor & Outdoor)	12,660	1,250	10.1
241	CONDURA	42CFS012313 (Indoor) 38CFS012313 (Outdoor)	12,660	1,260	10.0
242	ELECTROLUX	ESM12CRAPD (Indoor & Outdoor)	12,660	1,250	10.1
243	ELECTROLUX	ESM12CRAPA (Indoor & Outdoor)	12,660	1,090	11.6
244	ELECTROLUX	ESM12CRA-PAI (Indoor) ESM12CRA-PAE (Outdoor)	12,660	1,090	11.6
245	ELECTROLUX	ESM12CRA-PDI (Indoor) ESM12CRA-PDE (Outdoor)	12,660	1,250	10.1
246	FEDDERS	1FE1012N7F (Indoor) 1FC1012N7F (Outdoor)	12,660	1,230	10.3
247	FEDDERS	1FE1012N7F-PH (Indoor) 1FC1012N7F-PH (Outdoor)	12,660	1,230	10.3
248	FRIGIDAIRE	SC125 (Indoor & Outdoor)	12,660	1,350	9.4
249	GALANZ	KF-35GW (Indoor & Outdoor)	12,660	1,260	10.0
250	GOLDEN AIRE	KF-33GW/A (Indoor & Outdoor)	12,660	1,300	10.0
251	GREE	KF-35PF (Indoor & Outdoor)	12,660	1,240	10.2
252	KOLIN	KSM-150B1E (Indoor & Outdoor)	12,660	1,210	10.5
253	KOLIN	KSW-12R5B (Indoor) KPC-12HH5B (Outdoor)	12,660	1,510	11.0

*LIST OF CERTIFIED SPLIT TYPE ROOM AIR CONDITIONER  
as of DECEMBER CY 2011*

	<b>COMPANY/ BRAND NAME</b>	<b>MODEL NO.</b>	<b>RATED COOLING CAPACITY, kJ/h</b>	<b>POWER CONSUMP. WATT</b>	<b>E E R kJ/w-h</b>
254	KOPPEL	IKE1012N7G (Indoor) IKC1012N7F (Outdoor)	12,660	1,230	10.3
255	KOPPEL	KSW-12R3 (Indoor) KPC-12HH3 (Outdoor)	12,660	1,240	10.2
256	KOPPEL	SW-12DF (Indoor) PC-12D (Outdoor)	12,660	1,100	11.5
257	LG	HS-12SG (Indoor & Outdoor)	12,660	1,200	10.6
258	LG	HS-12GB (Indoor & Outdoor)	12,660	1,200	10.6
259	LG	HS-C1224F72 (Indoor & Outdoor)	12,660	1,200	10.6
260	MARKES OF CANADA	MSW2-12CRMI (Indoor & Outdoor)	12,660	1,250	10.1
261	MDV	MSE-12CR (Indoor & Outdoor)	12,660	1,250	10.1
262	MIDEA	MSB-12CR (Indoor & Outdoor)	12,660	1,330	9.5
263	SHARP	AH-AP12FHF (Indoor & Outdoor)	12,660	1,150	11.0
264	TRANE	2MND512A1AA (Indoor) 2TTK0512A1AA (Outdoor)	12,660	1,230	10.3
265	YORK	RACA12FSAADA (Indoor & Outdoor)	12,660	1,330	9.5
266	YORK	TLEA12FS-ADK (Indoor) TLDA12FS-ADK (Outdoor)	12,660	1,325	9.6
267	CARRIER	42EXPO13 (Indoor) 38EXPO13 (Outdoor)	12,658	1,250	10.1
268	CHANGHONG	KF-34GW (Indoor and Outdoor)	12,650	1,290	9.8
269	HYUNDAI	HAS-12GW (Indoor & Outdoor)	12,600	1,320	9.5
270	KOLIN	KSG-15B1 (Indoor) KSG-15B1 (Outdoor)	12,600	1,100	11.5
271	KOMITSU	KSM-15B1 (Indoor & Outdoor)	12,600	1,330	9.5
272	SAMSUNG	AS12FAN (Indoor) AS12FAX (Outdoor)	12,600	1,200	10.5
273	SAMSUNG	AS12FCN (Indoor) AS12FCX (Outdoor)	12,600	1,260	10.0
274	SAMSUNG	AS12VBCN (Indoor) AS12VBCX (Outdoor)	12,600	1,240	10.2
275	SAMSUNG	AS-12VBCXTC (Indoor & Outdoor)	12,600	1,240	10.2
276	SAMSUNG	AS12TSLN (Indoor) AS12TSLX (Outdoor)	12,600	1,260	10
277	SAMSUNG	AS12UANXTC (Indoor) AS12UAXXTC (Outdoor)	12,600	1,280	9.5
278	SAMSUNG	AS12UAN (Indoor) AS12UAX (Outdoor)	12,600	1,260	10.0
279	*	SAMSUNG AS12WHWB (Indoor & Outdoor)	12,600	1,250	10.3
280	SAMSUNG	AS12WHWB (Indoor) US12WHWB (Outdoor)	12,600	1,200	10.5
281	SANYO	SAP-K12AP (Indoor) SAP-C12AP (Outdoor)	12,600	1,100	11.4

Legend:

\* inactive/phased out model

*LIST OF CERTIFIED SPLIT TYPE ROOM AIR CONDITIONER  
as of DECEMBER CY 2011*

	<b>COMPANY/ BRAND NAME</b>	<b>MODEL NO.</b>	<b>RATED COOLING CAPACITY, kJ/h</b>	<b>POWER CONSUMP. WATT</b>	<b>E E R kJ/w-h</b>
282	SHARP	AH-AP12CF (Indoor) AU-A12BF (Outdoor)	12,600	1,190	10.6
283	SHINCO	KF-35GW/FLB (Indoor & Outdoor)	12,600	1,310	9.6
284	GOLDEN PORT	KF-35GW (Indoor & Outdoor)	12,590	1,250	10.1
285	SHARP	AH-AP12LMF (Indoor) AU- A12LMF (Outdoor)	12,579	1,084	11.6
286	DAIKIN	FT35BAVM (Indoor) R35GVALT6 (Outdoor)	12,560	1,230	10.2
287	DAIKIN	FT35GVALT6 (Indoor) R35GVALT6 (Outdoor)	12,560	1,230	10.2
288	TECO	LS1271B (Indoor) LT1271B (Outdoor)	12,550	1,069	11.7
289	LG	HS-12EG (Indoor & Outdoor)	12,500	1,120	11.2
290	FUJIDENZO	ASK12K (Indoor & Outdoor)	12,400	1,240	10.0
291	AKIRA	AC-S13CP (Indoor & Outdoor)	12,200	1,220	10.0
292	AUX	KF-33GW (Indoor) KF- 33HII (Outdoor)	12,100	1,300	9.3
293	GE	AS1CD12DBO (Indoor) ASOCD12DBO (Outdoor)	12,100	1,260	9.6
294	DAIKIN	FT12HEVJ (Indoor) R12HEVJ (Outdoor)	12,150	1,160	10.5
295	PANASONIC	CS/CU-PC12MKQ (Indoor & Outdoor)	12,060	1,260	9.6
296	EVEREST	ETS15ST (Indoor & Outdoor)	12,050	1,210	9.9
297	CHIGO	CS-32C2-V85AH4A (Indoor & Outdoor)	12,000	1,250	9.6
298	HAIER	HSU-12LEA13-F (Indoor & Outdoor)	12,000	1,180	10.2
299	IMARFLEX	IAC-150AS (Indoor & Outdoor)	12,000	1,240	9.7
300	LG	TS-C122ERA0 (Indoor & Outdoor)	12,000	1,200	10.0

Note:

For Split Type RACs with cooling capacity 12,000 kJ/h and above

Highest EER: 12.5

Lowest EER: 8.7

Local - **42** models

Imported - **258** models

**431 = TOTAL NO. OF MODELS CERTIFIED FOR 1ST QUARTER OF 2012**

Prepared by:

**C. Q. Ruiz**

01.19.12

Checked by:

**H. S. Orenca**

Noted by:

**R. S. Huliganga**