

**LIST OF CERTIFIED REFRIGERATORS  
AS OF SEPTEMBER 2011**

	BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
<b>A. Locally Manufactured Models</b>						
1	GE	GMV100BDYR	Two Door/Manual Defrost	272	2.0	163
2	CONDURA	CTD300MN	Direct Cooling/Two Door	271	1.36	231
3	CONDURA	CTD300MN-C	Direct Cool/Two Door	271	1.36	231
4	KELVINATOR	KTD300MN-DSW	Direct Cool/Two Door	271	1.36	231
5	KELVINATOR	KTD300MN	Direct Cool/Two Door	271	1.36	231
6	KELVINATOR	KTD300MN-DSB	Direct Cool/Two Door	271	1.36	231
7	CONDURA	CS083MN	Direct Cool/Single Door	244	1.06	255
8	CONDURA	CPS-8SD	Manual	244	1.55	183
9	CONDURA	CR080SDM	Cycle Defrost	244	1.55	183
10	CONDURA	CR080SDS	Semi-Automatic	244	1.55	183
11	KELVINATOR	KPS-8SD	Manual	244	1.55	183
12	KELVINATOR	KR080SDM	Cycle Defrost	244	1.55	183
13	KELVINATOR	KR080SDS	Semi-Automatic	244	1.55	183
14	PANASONIC	NR-B8510E	Two Door/Direct Cooling	240	0.95	300
15	PANASONIC	NR-B858DR	Two Door	240	0.86	335
16	PANASONIC	NR-B858ER	Two Door	240	0.98	298
17	PANASONIC	NR-B859D	Two Door	240	0.86	335
18	PANASONIC	NR-B859E	Two Door	240	0.98	298
19	CONDURA	CTD260MN	Two Door/Direct Cooling	238	1.29	219
20	KELVINATOR	KTD260MN-DSB	Two Door/Direct Cooling	238	1.29	219
21	PANASONIC	NR-B858D	Two Door	238	1.02	280
22	PANASONIC	NR-B858E	Two Door	238	1.07	263
23	NATIONAL	NR-B2405PM	Two Door	237	1.93	143
24	NATIONAL	NR-B2405PQ	Two Door	237	1.93	143
25	PANASONIC	NR-B805A	Two Door	236	1.54	175
26	PANASONIC	NR-B805AC	Two Door	236	1.54	175
27	PANASONIC	NR-B805EC	Two Door	236	1.25	225
28	PANASONIC	NR-A805DC	One Door	235	0.98	249
29	PANASONIC	NR-B8510A	Two Door/Frost Free	235	1.40	195
30	PANASONIC	NR-B858A	Two Door	235	1.40	195
31	PANASONIC	NR-B859AR	Two Door	235	1.40	195
32	PANASONIC	NR-A918ER	One Door	234	0.83	271
33	PANASONIC	NR-B805D	Two Door	233	1.27	218
34	PANASONIC	NR-B805E	Two Door	233	1.27	218
35	PANASONIC	NR-B805DC	Two Door	233	1.27	218
36	PANASONIC	NR-A805D	One Door	229	0.95	249
37	PANASONIC	NR-B804E	Two Door	228	1.39	197
38	SHARP	SJ-30S-SL	Two Door/Automatic Defrost	227	1.89	145
39	SHARP	SJ-30S	Two Door/No Frost	227	1.89	145
40	SANYO	SR-907NTD	Semi-Automatic	226	0.98	243
41	NATIONAL	NR-B803D	Two Door	220	1.33	196
42	NATIONAL	NR-B803E	Two Door	220	1.33	196
43	SINGER	REF 276	Two Door	220	1.33	196
44	NATIONAL	NR-B801D	Two Door	219	1.48	173
45	NATIONAL	NR-B801E	Two Door	219	1.48	173
46	PANASONIC	NR-A705D	One Door	219	0.86	265
47	PANASONIC	NR-A8510D	One Door	219	0.84	270
48	PANASONIC	NR-A8510E	One Door	219	0.84	270

**LIST OF CERTIFIED REFRIGERATORS  
AS OF SEPTEMBER 2011**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
49		PANASONIC	NR-A858DR	One Door	219	0.84	294
50		PANASONIC	NR-A858ER	One Door	219	0.89	256
51		PANASONIC	NR-A858SER	One Door	219	0.73	315
52		PANASONIC	NR-A859D	One Door	219	0.84	292
53		PANASONIC	NR-A859E	One Door	219	0.89	256
54		SINGER	REF 275	Two Door	219	1.48	173
55		NATIONAL	NR-B2155PM	Two Door	219	1.63	158
56		NATIONAL	NR-B2155PQ	Two Door	219	1.63	158
57		SINGER	REF 274	Two Door	219	1.63	158
58		PANASONIC	NR-A705DC	One Door	218	0.82	280
59		SAMSUNG	RT-2BSASS	Two Door/No Frost	217	1.26	203
60		SAMSUNG	RT-2BSATS	Two Door/No Frost	217	1.26	203
61		SAMSUNG	RT-2BSATSC	Two Door/No Frost	217	1.23	208
62		SAMSUNG	RT-2BSDSS	Two Door/No Frost	217	1.23	208
63		SAMSUNG	RT25SAAS	Two Door/No Frost	217	1.43	154
64		SAMSUNG	RT25SCAS	Two Door/No Frost	217	1.43	154
65		SAMSUNG	RT-2BSDTS	Two Door/No Frost	217	1.23	208
66		SAMSUNG	RJ2BSHIS	Two Door/Automatic Defrost	217	1.27	203
67		CONDURA	CPS-7TD	Manual	216	1.81	147
68		CONDURA	CR070TDM	Cycle Defrost	216	1.81	147
69		CONDURA	CR070TDS	Semi-Automatic	216	1.81	147
70		CONDURA	CTD240MN	Two Door/Direct Cooling	216	1.14	257
71		CONDURA	CT075SA	Direct Cool/Two Door	216	1.36	192
72		KELVINATOR	KR070TDM	Cycle Defrost	216	1.81	147
73		KELVINATOR	KR070TDS	Semi-Automatic	216	1.81	147
74		KELVINATOR	KPS-7TD	Manual	216	1.81	147
75		KELVINATOR	KTD240MN	Direct Cool/Two Door	216	1.03	250
76		KELVINATOR	KTD240MN-DSB	Direct Cool/Two Door	216	1.03	250
77		PANASONIC	NR-A705EC	One Door	216	0.87	259
78		PANASONIC	NR-A707SE	One Door	215	0.80	281
79		SHARP	SJ-23TGL	Single Door/Direct Cooling	215	1.05	211
80		SHARP	SJ-P231T	Single Door	215	0.92	244
81		CONDURA	CS075MN	Direct Cool/Single Door	214	0.98	240
82		CONDURA	CPS-7SD	Cycle Defrost	214	1.47	167
83		PANASONIC	NR-A705E	One Door	214	0.89	252
84		KELVINATOR	KPS-7SD	Manual	214	1.47	167
85		CONDURA	CR070SDM	Cycle Defrost	214	1.49	162
86		KELVINATOR	KR070SDM	Cycle Defrost	214	1.49	162
87		KELVINATOR	KSO75MN	Direct Cool/Single Door	214	0.98	240
88		LG	GR-V262RLC	No Frost	213	1.33	191
89		NATIONAL	NR-A803E	One Door	213	0.86	260
90		PANASONIC	NR-B705A	Two Door	213	1.38	180
91		PANASONIC	NR-B705AC	Two Door	213	1.38	180
92		PANASONIC	NR-B7710A	Two Door/Frost Free	213	1.20	210
93		PANASONIC	NR-B778A	Two Door	213	1.21	205
94		PANASONIC	NR-B778AR	Two Door	213	1.21	205
95		PANASONIC	NR-B779A	Two Door	213	1.21	205
96		PANASONIC	NR-A804E	One Door	212	0.92	243
97		SANYO	SR-280LTD	Manual	210	1.24	213
98		SANYO	SR-280ND	Manual	210	1.24	213
99		SANYO	SR-280NSS	Manual	210	1.24	213
100		SANYO	SR-280NTD	Manual	210	1.24	213

**LIST OF CERTIFIED REFRIGERATORS  
AS OF SEPTEMBER 2011**

	BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
101	SANYO	SR-280NW	Manual	210	1.24	213
102	SANYO	SR-280NWS	Manual	210	1.24	213
103	SANYO	SR-280SVG	Manual	210	1.24	213
104	SANYO	SR-280NTW	Two Door	210	1.50	166
105	PANASONIC	NR-B7410E	Two Door/Direct Cooling	208	0.96	268
106	PANASONIC	NR-B748DR	Two Door	208	1.02	266
107	PANASONIC	NR-B748ER	Two Door	208	0.96	266
108	PANASONIC	NR--B749D	Two Door	208	1.02	266
109	PANASONIC	NR-B749E	Two Door	208	0.96	266
110	PANASONIC	NR-B705D	Two Door	206	1.54	155
111	PANASONIC	NR-B705E	Two Door	206	1.54	155
112	PANASONIC	NR-B705DC	Two Door	206	1.20	208
113	PANASONIC	NR-B748D	Two Door	206	1.05	238
114	PANASONIC	NR-B748E	Two Door	206	0.99	256
115	PANASONIC	NR-B705EC	Two Door	205	1.15	222
116	SHARP	SJ-26S	Two Door/No Frost	205	1.56	157
117	SHARP	SJ-26S-SL	Two Door/Automatic Defrost	205	1.58	157
118	PANASONIC	NR-B704D	Two Door	202	1.42	164
119	PANASONIC	NR-B704E	Two Door	202	1.42	164
120	CONDURA	CSD225MN	Single Door/Direct Cooling	201	0.78	269
121	CONDURA	CSD225SA	Direct Cooling/Single Door	201	0.88	269
122	CONDURA	CSD225SA-C	Direct Cooling/Single Door	201	0.78	269
123	KELVINATOR	KSD225SA	Direct Cool/Single Door	201	0.78	269
124	KELVINATOR	KSD225SA-DSB	Direct Cool/Single Door	201	0.78	269
125	NATIONAL	NR-A701D	One Door	200	0.86	246
126	NATIONAL	NR-B703D	Two Door	198	1.30	175
127	NATIONAL	NR-B703E	Two Door	198	1.30	175
128	NATIONAL	NR-B701D	Two Door	198	1.35	169
129	NATIONAL	NR-B701E	Two Door	198	1.35	169
130	NATIONAL	NR-B1905PM	Two Door	198	1.67	140
131	NATIONAL	NR-B1905PQ	Two Door	198	1.67	140
132	PANASONIC	NR-B703D	Two Door	198	1.30	175
133	PANASONIC	NR-B703E	Two Door	198	1.30	175
134	SANYO	SR-807NA	Automatic	198	0.97	215
135	SANYO	SR-807LTD	Semi-Automatic	198	0.98	214
136	SANYO	SR-807ND	Semi-Automatic	198	0.98	214
137	SANYO	SR-807NM	Manual	198	0.98	214
138	SANYO	SR-807NTD	Semi-Automatic	198	0.98	214
139	SANYO	SR-807NTM	Semi-Automatic	198	0.98	214
140	SUNACE	SAR-198M	Manual	198	0.98	214
141	NATIONAL	BR-A2007PE	One Door	197	0.84	246
142	SINGER	REF 178	One Door	197	0.82	257
143	SAMSUNG	RA21PTTS	Single Door/Manual Defrost	197	0.89	233
144	SAMSUNG	RA-21VASS	Single Door/Direct Cooling	197	0.84	247
145	SAMSUNG	RA21VATS	Single Door/Direct Cooling	197	0.87	234
146	SAMSUNG	RA-21VAAS	Single Door/Direct Cooling	197	0.84	247
147	SAMSUNG	RT-2ASASS	Two Door/No Frost	197	1.30	183
148	SAMSUNG	RT-2ASDSS	Two Door/No Frost	197	1.19	196
149	SAMSUNG	RT-2ASATS	Two Door/No Frost	197	1.30	183
150	SAMSUNG	RT-2ASATSC	Two Door/No Frost	197	1.19	196
151	SAMSUNG	RT-2ASDTS	Two Door/No Frost	197	1.19	196
152	SAMSUNG	RT22SAAS	Two Door/No Frost	197	1.43	161

**LIST OF CERTIFIED REFRIGERATORS  
AS OF SEPTEMBER 2011**

	BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
153	SAMSUNG	RT22SCAS	Two Door/No Frost	197	1.43	161
154	SAMSUNG	RT2ASHIS	Two Door/Automatic Defrost	197	1.20	196
155	NATIONAL	NR-A702E	One Door	196	0.84	246
156	NATIONAL	NR-A703E	One Door	196	0.84	246
157	SINGER	REF 178A	One Door	196	0.84	246
158	SINGER	REF 179	One Door	196	0.84	246
159	PANASONIC	NR-A704D	One Door	196	0.91	227
160	NATIONAL	NR-A702D	One Door	196	0.94	226
161	NATIONAL	NR-A703D	One Door	196	0.94	226
162	PANASONIC	NR-A704E	One Door	196	0.95	215
163	SANYO	SR-27WX	Two Door	193	2.27	99
164	SANYO	SR-F30E	Two Door	193	2.27	99
165	PANASONIC	NR-A7410D	One Door	191	0.72	275
166	PANASONIC	NR-A7410E	One Door	191	0.72	275
167	PANASONIC	NR-A748D	One Door	191	0.73	275
168	PANASONIC	NR-A748DR	One Door	191	0.73	275
169	PANASONIC	NR-A748E	One Door	191	0.73	275
170	PANASONIC	NR-A748ER	One Door	191	0.73	275
171	PANASONIC	NR-A748SE	One Door	191	0.73	275
172	PANASONIC	NR-A748SER	One Door	191	0.69	291
173	PANASONIC	NR-A749D	One Door	191	0.73	275
174	PANASONIC	NR-A749E	One Door	191	0.73	275
175	LG	GR-V232RL	No Frost	188	1.14	155
176	PANASONIC	NR-A605DC	One Door	188	0.81	242
177	PANASONIC	NR-A605EC	One Door	188	0.80	245
178	PANASONIC	NR-A607SE	One Door	188	0.75	264
179	CONDURA	CPS-6SD	Manual	187	1.03	191
180	CONDURA	CR060SDM	Manual	187	1.03	191
181	CONDURA	CR060SDS	Semi-Automatic	187	1.03	191
182	CONDURA	CS065SA	Direct Cool/Single Door	187	1.03	191
183	KELVINATOR	KPS-6SD	Manual	187	1.03	191
184	KELVINATOR	KR060SDM	Manual	187	1.03	191
185	KELVINATOR	KR060SDS	Semi-Automatic	187	1.03	191
186	KELVINATOR	KS065SA	Direct Cooling/Single Door	187	1.03	191
187	CONDURA	CPS-6SD DLX	One Door	187	1.14	173
188	PANASONIC	NR-A605D	One Door	187	0.81	242
189	WWH	WR-1999CD	Single Door/Direct Cooling	186	1.06	182
190	SANYO	SR-270NTD	Manual	184	1.31	172
191	SHARP	SJ-21TGL	Single Door/Direct Cooling	183	1.01	192
192	SHARP	SJ-S210T-SS	Single Door	183	0.97	198
193	SHARP	SJ-P211T-SL	Single Door	183	0.97	198
194	LG	GN-V231RL	Single Door/Direct Cooling	180	0.88	218
195	LG	GN-V231RLZ	Single Door/Direct Cooling	180	0.88	218
196	PANASONIC	NR-A605E	One Door	180	0.86	220
197	SHARP	SJ-S190T	Single Door/Direct Cooling	180	1.06	179
198	SHARP	SJ-S190T-SS	Single Door	180	0.96	198
199	SHARP	SJ-191T-SL	Single Door	180	0.98	198
200	SHARP	SJ-19TGL	Single Door	180	0.98	198
201	SAMSUNG	RA19PTTS	Single Door/Manual Defrost	178	0.80	237
202	SAMSUNG	RA-19FASS	Single Door/Direct Cooling	177	0.79	237

**LIST OF CERTIFIED REFRIGERATORS  
AS OF SEPTEMBER 2011**

	BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
203	SAMSUNG	RA19FASW	Single Door/Direct Cooling	177	0.90	202
204	SANYO	SR-S70THW	One Door	175	0.81	229
205	NATIONAL	NR-A601D	One Door	174	0.73	252
206	CONDURA	CSD200SA	Single Door/Direct Cooling	173	0.82	222
207	KELVINATOR	KSD200SA	Direct Cool/Single Door	173	0.75	241
208	KELVINATOR	KSD200SA-DSB	Direct Cool/Single Door	173	0.75	241
209	NATIONAL	NR-A1707PE	One Door	172	0.72	255
210	SINGER	REF 165	One Door	172	0.65	281
211	NATIONAL	NR-A602D	One Door	170	0.74	242
212	NATIONAL	NR-A602E	One Door	170	0.74	242
213	NATIONAL	NR-A603D	One Door	170	0.74	242
214	NATIONAL	NR-A603E	One Door	170	0.74	242
215	SINGER	REF 165A	One Door	170	0.74	242
216	SINGER	REF 166	One Door	170	0.74	242
217	PANASONIC	NR-A604D	One Door	170	0.80	227
218	SANYO	SR-707LTD	Semi-Automatic	170	0.79	226
219	SANYO	SR-707ND	Semi-Automatic	170	0.79	226
220	SANYO	SR-707NM	Manual	170	0.79	226
221	SANYO	SR-707NTD	Semi-Automatic	170	0.79	226
222	SANYO	SR-707NTM	Semi-Automatic	170	0.79	226
223	SUNACE	SAR-170M	Manual	170	0.79	226
224	SANYO	SR-707NA	Automatic	170	0.87	204
225	PANASONIC	NR-A604E	One Door	170	0.87	203
226	LG	GN-201	Direct Cooling	165	0.76	230
227	LG	GN-V191L	Direct Cooling	155	0.87	191
228	LG	GH-V191RLZ	Single Door/Manual Defrost	155	0.82	242
229	SANYO	SR-S63EW	One Door	153	0.89	182
230	CONDURA	CPS-5SD	Manual	145	0.92	167
231	CONDURA	CR050SDM	Manual	145	0.92	167
232	KELVINATOR	KPS-5SD	Manual	145	0.92	167
233	KELVINATOR	KR050SDM	Manual	145	0.92	167
234	CONDURA	CR050SDS	Semi-Automatic	145	1.00	154
235	KELVINATOR	KR050SDS	Semi-Automatic	145	1.00	154
** 236	KELVINATOR	KS050SA	Direct Cooling/Single Door	145	0.95	154
237	KELVINATOR	KSD165SA-DSB	Direct Cool/Single Door	145	0.73	209
238	KELVINATOR	KSD165SA-DSW	Direct Cool/Single Door	145	0.73	209
239	CONDURA	CPS-5SD DLX	One Door	145	1.12	137
240	CONDURA	CSD165MN	Single Door/Direct Cooling	145	0.73	209
241	CONDURA	CSD200MN	Single Door/Direct Cooling	173	0.75	241
242	CONDURA	CS050SA	Direct Cool/Single Door	145	0.95	154
243	CONDURA	CSD165SA	Single Door/Direct Cooling	145	0.83	208
244	CONDURA	CSD165SA-E	Direct Cooling/Single Door	145	0.73	209
245	SANYO	SR-147NSF	Semi-Automatic	142	0.75	200
246	SANYO	SR-507LTD	Semi-Automatic	142	0.70	214
247	SANYO	SR-507ND	Semi-Automatic	142	0.70	214
248	SANYO	SR-507NTD	Semi-Automatic	142	0.70	214
249	SANYO	SR-507NTM	Semi-Automatic	142	0.70	214
250	SANYO	SR-507NM	Manual	142	0.75	200
251	SUNACE	SAR-142M	Manual	142	0.75	200
252	NATIONAL	NR-A501D	One Door	130	0.64	217

\*\* inactive/ phased out models

**LIST OF CERTIFIED REFRIGERATORS  
AS OF SEPTEMBER 2011**

	BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
253	NATIONAL	NR-A1407PE	One Door	128	0.71	192
254	SINGER	REF 155	One Door	128	0.60	232
255	NATIONAL	NR-A502E	One Door	125	0.64	208
256	NATIONAL	NR-A503E	One Door	125	0.64	208
257	NATIONAL	NR-A502D	One Door	125	0.72	186
258	NATIONAL	NR-A503D	One Door	125	0.72	186
259	CONDURA	CPS-10TD		*	*	*
260	CONDURA	CPS-9TD		*	*	*
261	CONDURA	CR090TDM		*	*	*
262	CONDURA	CR100SDM		*	*	*
263	CONDURA	CS083SA		*	*	*
264	CONDURA	CSD165SA-EW		*	*	*
265	KELVINATOR	KR090TDM		*	*	*
266	KELVINATOR	KR100SDM		*	*	*
267	LG	GN-262QLC		*	*	*
268	LG	GN-232D		*	*	*
269	LG	GN-212D		*	*	*
270	PANASONIC	NR-B7710D		*	*	*
271	PANASONIC	NR-B938DR		*	*	*
272	PANASONIC	NR-B938ER		*	*	*
273	NATIONAL	NR-A851E		*	*	*
274	PANASONIC	NR-A858D		*	*	*
275	PANASONIC	NR-A858E		*	*	*
276	PANASONIC	NR-A858SE		*	*	*
277	PANASONIC	NR-A918E		*	*	*
278	SAMSUNG	RT2ASDSS2/XTC		*	*	*
279	SAMSUNG	RT2BSASS2/XTC		*	*	*
280	SAMSUNG	RT2ASASS2/XTC		*	*	*
281	SAMSUNG	RT34SASS1/XTC		*	*	*
282	SAMSUNG	RT30SASS1/XTC		*	*	*
283	SAMSUNG	RT2BSDSS2/XTC		*	*	*

\* tested but no label yet

Total no. of models certified: 283

**LIST OF CERTIFIED REFRIGERATORS  
AS OF SEPTEMBER 2011**

	BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	<b>B. Imported Models</b>					
1	SAMSUNG	RT34MASS	Two Door/No Frost	275	2.72	123
2	HITACHI	R-26AP5	No Frost	264	2.18	118
3	SAMSUNG	RT30MASS	Two Door/No Frost	259	1.93	166
4	SHARP	SJ-30N	Two Door/No Frost	227	1.53	177
5	SHARP	SJ-D25L	Two Door/No Frost	225	1.61	164
6	SHARP	SJ-D25P	Two Door/No Frost	225	1.61	164
7	UNION	URF-70	Single Door/Direct Cooling	225	1.07	215
8	KOLIN	KRF-220B	Two Door	218	1.76	155
9	LG	GR-262	No Frost	217	1.68	153
10	LG	GR-U262	No Frost	217	1.68	153
11	SANYO	SR-F245N	No Frost	216	1.65	157
12	SANYO	SR-F245NSB	Two Door/Frost Free	216	1.57	162
13	GE	GTV085KCYR	Two Door/Frost Free	215	1.69	150
14	SHARP	SJ-D23T	Single Door	215	0.92	244
15	CHUNLAN	BCD-215	Two Door/Direct Cooling	215	0.96	242
16	SHARP	SJ-23TDL	Single Door	215	0.92	244
17	SHARP	SJ-S230T	Single Door/Direct Cooling	215	0.92	244
18	SHARP	SJ-S230T-SS	Single Door	215	0.92	244
19	SAMSUNG	RL23FCMS	Two Door/Direct Cooling	212	1.06	253
20	SAMSUNG	RL23FCTS	Two Door/Direct Cooling	212	1.06	253
21	SHARP	SJ-22T	Single Door	211	1.10	205
22	HAIER	BCD-216	Two Door	208	1.37	202
23	SAMSUNG	RT24MESS	Two Door/No Frost	207	2.24	109
24	SAMSUNG	RT24VESS	Two Door/No Frost	207	2.24	109
25	ELECTROLUX	ETB2100PC-RPH	Frost Free	206	1.8	142
26	SHARP	SJ-26N	Two Door/No Frost	205	1.48	160
27	KOLIN	KRD-210B	Two Door	203	1.35	191
28	WWH	WR2150D	Two Door/Frost Free	202	1.89	130
29	HITACHI	R-20PW3	Direct Cooling	200	1.00	210
30	HITACHI	R-20A3P	Two Door/No Frost	200	1.57	154
31	HITACHI	R-20P3	Direct Cooling	200	1.00	210
** 32	LG	GR-242 MVF	No Frost	200	2.20	114
33	MARKES OF CANADA	MRS-206DCC	Single Door/Direct Cooling	200	1.09	190
34	UNION	UGFR-200	Two Door/Direct Cooling	200	1.33	164
35	WWH	WR-1999C	Single Door/Direct Cooling	199	1.06	181
36	CHUNLAN	BCD-195	Two Door/Direct Cooling	195	0.95	233
37	LG	GN-241	Direct Cooling	190	0.77	259
38	ADMIRAL	BCD-193W	Two Door/No Frost	190	1.65	144
39	SHARP	SJ-D21P	Two Door/No Frost	190	1.68	138
40	SHARP	SJ-D21L	Two Door/No Frost	190	1.68	138
41	MIDEA	BC-203WH	Two Door	189	1.73	133
42	LG	GN-241D	Direct Cooling	188	0.85	235
43	LG	GR-232D	No Frost	188	1.90	118
44	LG	GR-U232	No Frost	188	1.27	176
45	LG	GR-V232RL2	Two Door/Frost Free	188	1.39	164
46	SHARP	SJ-21UGL	Two Door/Direct Cooling	188	1.93	115
47	KOLIN	KRSK-65A	Direct Cooling/Single Door	187	1.03	191
48	SAMSUNG	RT21MESS	Two Door/No Frost	187	2.38	93
49	SAMSUNG	RT21MGBB	Two Door/No Frost	187	2.38	93
50	SAMSUNG	RT21MHSS	Two Door/No Frost	187	2.38	93
51	SAMSUNG	RT21VESS	Two Door/No Frost	187	2.38	93
52	TOSHIBA	GR-P200	Semi-Automatic	186	0.95	204
53	TOSHIBA	GR-P201	Semi-Automatic	186	0.84	234

\*\* inactive/ phased out models

**LIST OF CERTIFIED REFRIGERATORS  
AS OF SEPTEMBER 2011**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	54	TOSHIBA	GR-P200D	Semi-Automatic	186	0.95	204
	55	GE	GAV7BAMR	Single Door	186	1.15	166
	56	WWH	WR-1905CD	Single Door/Direct Cooling	186	1.06	186
	57	WWH	WR-1905C	Single Door/Direct Cooling	186	1.06	186
	58	WWH	WR-1908CD	Single Door/Direct Cooling	186	1.06	181
	59	WWH	WR-1908C	Single Door/Direct Cooling	186	1.06	186
	60	LG	GR-232 w/dispenser	No Frost	186	1.90	118
	61	GE	GAV7BDNR	Single Door	185	1.15	165
**	62	LG	LR-231 GVF	Direct Cooling	185	0.90	218
	63	LG	LR-231GL	Direct Cooling	185	0.95	218
	64	LG	GR-231	Direct Cooling	185	0.89	218
	65	SANYO	SR-270NTW	Manual	184	1.31	172
	66	SHARP	SJ-DC19S	Single Door/Direct Cooling	183	0.77	254
	67	SHARP	SJ-D20T	Single Door	183	0.97	198
	68	SHARP	SJ-21TDL	Single Door	183	0.97	198
	69	GE	GAV7BATR	Single Door	180	1.16	160
	70	HITACHI	R-18PW3	Direct Cooling	180	0.90	211
	71	HITACHI	R-18P3	Direct Cooling	180	0.90	213
	72	HITACHI	R-19P5	Direct Cooling	180	0.90	211
	73	HITACHI	R-19P5W	Direct Cooling	180	0.90	211
	74	SAMSUNG	RA20VHSS	Single Door/Direct Cooling	180	0.79	240
	75	SANYO	SR-LV209F	One Door	180	0.83	232
	76	SANYO	SR-S202FR	One Door	180	0.78	247
	77	SANYO	SR-S202FR-A	One Door	180	0.78	247
	78	GE	GAV7BDTR	Single Door	180	1.16	160
	79	SHARP	SJ-19T	Single Door	180	0.98	198
	80	SHARP	SJ-19TDL	Single Door	180	0.98	198
	81	SANYO	SR-F225N	No Frost	179	1.50	146
	82	SANYO	SR-F225NSB	Two Door/Frost Free	179	1.34	164
	83	SANYO	SR-S205SBP	Single Door/Direct Cooling	179	1.30	142
	84	SANYO	SR-S205SBP-H	One Door	179	1.30	142
	85	ELECTROLUX	ETB1800PC-RPH	Frost Free	177	1.61	134
	86	GE	GMV070BAYR	Two Door/Direct Cooling	177	1.99	102
	87	GE	GMV070BDYR	Twoo Door/Direct Cooling	177	1.99	102
**	88	SANYO	SR-D29E	Two Door	177	2.16	100
	89	SANYO	SR-D29H	Two Door	177	2.16	100
	90	SANYO	SR-D29M	Two Door	177	2.16	100
	91	SANYO	SR-D29N	Two Door	177	1.82	123
	92	SANYO	SR-D29T	Two Door/Direct Cooling	177	2.06	101
	93	SHARP	SJ-22N	Two Door/No Frost	177	1.48	145
	94	SHARP	SJ-22S	Two Door/Frost Free	177	1.42	151
	95	SHARP	SJ-22S-SL	Two Door/No Frost	177	1.64	131
	96	GE	GMV070BANR	Two Door	177	1.93	113
	97	GE	GMV070BDNR	Two Door	177	1.93	113
**	98	LG	GR-212	No Frost	176	1.90	114
	99	LG	GR-212DL	No Frost	176	1.89	114
	100	LG	GR-U212	No Frost	176	1.17	179
	101	LG	GR-V212RL	Two Door/Frost Free	176	1.08	192
	102	ELECTROLUX	ERM-1900PA	Single Door/Direct Cooling	175	0.84	215
	103	GE	GAV070BAPR	Single Door	175	0.85	218
	104	GE	GAV070BAYR	Single Door	175	0.78	232
	105	SAMSUNG	RA18FHSS	Single Door/Direct Cooling	175	0.79	231

\*\* inactive/ phased out models

**LIST OF CERTIFIED REFRIGERATORS  
AS OF SEPTEMBER 2011**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	106	SANYO	SR-S701TW	Single Door/No Frost	175	0.74	243
	107	SANYO	SR-S701THW	One Door	175	0.70	265
	108	SANYO	SR-S70DW	One Door	175	0.90	207
	109	SANYO	SR-S70EW	One Door	175	0.84	221
	110	SANYO	SR-S70FW	One Door	175	0.90	207
	111	SANYO	SR-S70HW	One Door	175	0.84	221
	112	SANYO	SR-S70NW	One Door	175	0.81	229
	113	SANYO	SR-S70RW	One Door	175	0.81	229
	114	UNION	UGFR-170	Two Door/Direct Cooling	175	1.30	151
	115	SANYO	SR-S70TW	One Door	175	0.81	229
	116	WHIRLPOOL	WRD70K	Single Door/Direct Cooling	175	0.85	229
	117	WHIRLPOOL	WRD-70N	Single Door/Direct Cooling	175	0.81	281
	118	WWH	WR-1899C	Single Door/Direct Cooling	175	0.90	185
	119	WWH	WR-1899CD	Single Door/Direct Cooling	175	0.90	186
	120	MIDEA	BC-193WH	Two Door	174	1.67	129
	121	LG	GR-212w/dispenser	No Frost	174	1.90	114
**	122	LG	GN-221	Direct Cooling	173	0.78	236
	123	MARKES	MRDF2-23H	Two Door	172	1.66	126
	124	LG	GN-221w/dispenser	Direct Cooling	171	0.78	234
	125	SAMSUNG	SR-A19NFB	Single Door/Direct Cooling	170	0.98	180
	126	SAMSUNG	SR-A19NFE	Single Door/Direct Cooling	170	0.98	180
	127	SAMSUNG	SR-A19WFB	Single Door/Direct Cooling	170	0.98	180
	128	SAMSUNG	SR-A19WFE	Single Door/Direct Cooling	170	0.98	180
	129	SAMSUNG	RA20FGSS	Single Door/Direct Cooling	170	0.98	180
	130	SAMSUNG	RA20VGSS	Single Door/Direct Cooling	170	0.98	180
	131	KOLIN	KRD-170A	Single Door	168	0.70	218
	132	MIDEA	BC-183WH	Two Door	168	1.92	106
	133	UNION	URF-629	Single Door/Direct Cooling	167	0.70	230
	134	AKIRA	RD-202P	Two Door	166	1.25	143
	135	LG	GN-U201	Direct Cooling	165	0.73	237
	136	AKIRA	RS-201P	One Door	164	0.70	232
	137	SHARP	SJ-18S	Frost Free	164	1.55	123
	138	SHARP	SJ-181P-SL	Two Door/No Frost	164	1.51	125
	139	SHARP	SJ-18S-SL	Two Door/No Frost	164	1.51	125
	140	CHUNLAN	BCD-178	Two Door/Cycle Defrost	163	0.94	186
	141	KOLIN	KRD-168KA	Single Door/Direct Cooling	161	0.70	214
	142	TOSHIBA	GR-P171	Single Door/Direct Cooling	161	0.94	177
	143	TOSHIBA	GR-P173	Direct Cool/Single Door	161	0.94	177
	144	TOSHIBA	GR-P256	Single Door/Direct Cooling	161	0.94	177
	145	GE	SDR185HT	Single Door	159	0.88	180
	146	TOSHIBA	GR-P180	Semi-Automatic	159	0.85	196
	147	TOSHIBA	GR-P180D	Semi-Automatic	159	0.85	196
	148	WWH	WR-1808C	Single Door/Direct Cooling	159	0.90	186
	149	WWH	WR-1808CD	Single Door/Direct Cooling	159	0.90	186
	150	GE	GAV65BAMR	Single Door	159	0.88	180
	151	TOSHIBA	GR-P191	Single Door/Direct Cooling	158	0.84	193
	152	TOSHIBA	GR-P193	Direct Cool/Single Door	158	0.84	193
	153	TOSHIBA	GR-P181	Semi-Automatic	157	0.79	212

\*\* inactive/ phased out models

**LIST OF CERTIFIED REFRIGERATORS  
AS OF SEPTEMBER 2011**

		BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
	154	EUROTEK	EHR-175M	Single Door/Direct Cooling	155	0.69	242
	155	GE	GAV6BATR	Single Door	155	0.85	188
	156	LG	GR-191	Direct Cooling	155	0.88	187
	157	LG	LR-191 GVF	Direct Cooling	155	0.80	205
	158	LG	LR-191GL	Direct Cooling	155	0.80	205
**	159	LG	LR-191GVF	Direct Cooling	155	0.80	205
	160	SAMSUNG	RA18FGSS	Single Door/Direct Cooling	155	0.98	190
	161	SAMSUNG	RA18VGSS	Single Door/Direct Cooling	155	0.98	158
	162	SAMSUNG	SR-A17NFB	Single Door/Direct Cooling	155	0.86	190
	163	SAMSUNG	SR-A17NFE	Single Door/Direct Cooling	155	0.98	190
	164	SAMSUNG	SR-A17WFB	Single Door/Direct Cooling	155	0.98	158
	165	SAMSUNG	SR-A17WFE	Single Door/Direct Cooling	155	0.98	158
**	166	SANYO	SR-LL180F	One Door	155	0.84	194
	167	SANYO	SR-LV190F	One Door	155	0.84	194
	168	SANYO	SR-S63DW	One Door	155	0.83	199
	169	SANYO	SR-S63FW	One Door	155	0.83	199
	170	SANYO	SR-S182FR-A	One Door	155	0.90	178
	171	WHIRLPOOL	WRD63K	Single Door/Direct Cooling	155	0.91	178
	172	WWH	WR-1799C	Single Door/Direct Cooling	155	0.88	168
	173	SANYO	SR-S185SBP	One Door	154	0.90	179
	174	SANYO	SR-S185SBP-H	One Door	154	0.90	179
**	175	SANYO	SR-S63HW	One Door	153	0.89	182
	176	ELECTROLUX	ERM-1700	Single Door/Direct Cooling	151	0.63	251
	177	HAIER	HR-818C	Single Door	151	1.00	162
	178	SANYO	SR-S63MW	One Door	151	0.78	207
	179	SANYO	SR-S63NW	One Door	151	0.78	165
	180	SANYO	SR-S63PW	One Door	151	0.78	207
	181	SANYO	SR-S63RW	One Door	151	0.98	165
	182	SANYO	SR-S63TW	One Door	151	0.67	240
	183	SANYO	SR-S63THW	One Door	151	0.67	240
	184	WHIRLPOOL	WRD-63N	Single Door/Direct Cooling	151	0.98	251
**	185	LG	GN-171	Direct Cooling	150	0.56	285
	186	LG	GN-U171	Direct Cooling	150	0.68	231
	187	HAIER	HR-170U	Single Door	145	0.90	162
	188	HAIER	HR-175UD	Single Door	145	0.92	157
	189	ELECTROLUX	ERM-1600	Single Door/Direct Cooling	144	0.62	240
	190	GE	GAV060BAPR	Single Door	144	0.97	157
	191	GE	GAV060BAYR	Single Door/Direct Cooling	144	0.63	239
	192	SHARP	SJ-DC155	Single Door/Direct Cooling	144	0.74	207
	193	GE	GAV6BAMR	Single Door	141	0.90	164
	194	SHARP	SJ-S170T-SS	Single Door	141	1.10	131
	195	SHARP	SJ-S170T	Single Door/Direct Cooling	141	1.03	142
	196	SHARP	SJ-177TGL	Single Door	141	1.10	131
	197	WWH	WR-1705C	Single Door/Direct Cooling	141	0.88	168
	198	WWH	WR-1708C	Single Door/Direct Cooling	141	0.88	168

\*\* inactive/ phased out models

**LIST OF CERTIFIED REFRIGERATORS  
AS OF SEPTEMBER 2011**

	BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
199	TOSHIBA	GR-P165	Semi-Automatic	141	0.93	160
200	TOSHIBA	GR-P165D	Semi-Automatic	141	0.93	160
201	SANYO	S155SBP	Direct Cooling	128	0.78	170
202	GE	GAV055BAYR	Single Door/Direct Cooling	127	0.54	241
203	SANYO	SR-S52TW	One Door	127	0.63	206
204	SANYO	SR-S52THW	One Door	127	0.62	217
205	SANYO	SR-S155SBP	One Door	126	0.78	170
206	SANYO	SR-S155SBP-H	One Door	126	0.78	170
207	TOSHIBA	GR-P151	Single Door/Direct Cooling	110	0.72	159
208	TOSHIBA	GR-P153	Direct Cool/Single Door	110	0.72	159
209	AKIRA	RD-220P		*	*	*
210	EUROTEK	HER-607SA		*	*	*
211	EUROTEK	HER-707SA		*	*	*
212	ELECTROLUX	ETB-1800UA		*	*	*
213	ELECTROLUX	ETB2100UA		*	*	*
214	ELECTROLUX	WRM2000		*	*	*
215	FRIGIDAIRE	BCD-155		*	*	*
216	GE	GAV065BANR		*	*	*
217	GE	GAV070BANR		*	*	*
218	GE	GAV060BAYR		*	*	*
219	GE	GMV100BAYR		*	*	*
220	GE	TBV8DNBRLG		*	*	*
221	HAIER	HR-818CW		*	*	*
222	IMARFLEX	IRF-660S		*	*	*
223	KOLIN	KRD-220B		*	*	*
224	LG	GR-191GV		*	*	*
225	LG	GR-231GV		*	*	*
226	LG	GR-282MVF		*	*	*
227	LG	GR-212SV		*	*	*
228	LG	GN-V231		*	*	*
229	LG	GN-V191		*	*	*
230	LG	GN-V212		*	*	*
231	LG	GN-V232		*	*	*
232	LG	GN-V262		*	*	*
233	LG	GR-V262RSC		*	*	*
234	MIDEA	MD-185		*	*	*
235	MIDEA	MD-210		*	*	*
236	MIDEA	BCD-179H		*	*	*
237	POLYTRON	R-1985P		*	*	*
238	POLYTRON	PR-163XP		*	*	*
239	POLYTRON	PR-168SD		*	*	*
240	SANYO	D29HW		*	*	*
241	SANYO	D29NW		*	*	*
242	SANYO	SR-F182R		*	*	*
243	SANYO	SR-F202R		*	*	*
244	SANYO	SR-S52T		*	*	*
245	SANYO	SR-S63T		*	*	*

\* tested but no label yet

\*\* inactive/ phased out models

**LIST OF CERTIFIED REFRIGERATORS  
AS OF SEPTEMBER 2011**

	BRAND	MODEL	TYPE	TOTAL STORAGE VOLUME (liters)	ENERGY CONSUMPTION (kW-h/24h)	EEF
246	SAMSUNG	RA21FA		*	*	*
247	SAMSUNG	RT-22 (plastic shelves)		*	*	*
248	SAMSUNG	RT-22 (wire shelves)		*	*	*
249	SAMSUNG	RT-25 (plastic shelves)		*	*	*
250	SAMSUNG	RT-25 (wire shelves)		*	*	*
251	SAMSUNG	RT24MHSS		*	*	*
252	SAMSUNG	SR-21		*	*	*
253	SAMSUNG	SR-24		*	*	*
254	SAMSUNG	SR-30		*	*	*
255	SAMSUNG	SR-34		*	*	*
256	SHARP	SJ-26S		*	*	*
257	SHARP	SJ-D21U		*	*	*
258	SHARP	VR-188P		*	*	*
259	SINGER	ALD-82S		*	*	*
260	SINGER	220L		*	*	*
261	SINGER	215L		*	*	*
262	SINGER	175L		*	*	*
263	TOSHIBA	GR-P153A		*	*	*
264	TOSHIBA	GR-P173A		*	*	*
265	TOSHIBA	GR-P193A		*	*	*
266	TOSHIBA	GR-P201D		*	*	*
267	TOSHIBA	GR-P181D		*	*	*
268	TOSHIBA	GR-S32P		*	*	*
269	TOSHIBA	GR-S37PT		*	*	*
270	WHIRLPOOL	WRD82		*	*	*
271	WHIRLPOOL	WRN08Q		*	*	*
272	WHIRLPOOL	WRD-63N		*	*	*
273	WWH	WR-1805C		*	*	*
274	WWH	WRNF08SA		*	*	*

Total no. of models: 274

\* tested but no label yet

\*\* inactive/ phased out models

**Local - 283**

**Imported - 274**

**557 Models = TOTAL NO. OF MODELS CERTIFIED FOR 3RD QUARTER OF 2011**

Prepared by:

Checked by:

Noted by:

**C. Q. Ruiz**  
12.20.11

**I. C. Soriano**

**R. S. Huliganga**